

# Molteni & C

## GLISS QUICK— MDT 2010

1—  
17



Molteni&C has a tradition of designing and developing stylish home furnishings. Gliss Quick reflects this commitment, a system of wardrobes complete in design, modularity and accessories. Gliss Quick is designed and produced for maximum functional use, aiming to satisfy every storage need, using avant-garde technology and materials for a top quality wardrobe which is reliable and long lasting. Corner and end modules, bridge elements and the possibility of carrying out alterations to measure on the doors and structure make Gliss Quick particularly versatile in its use: a dividing partition between different areas or as a service element which is both discreet and functional. Total modularity, custom opening systems in both sliding and hinged door versions thanks to ten different types of handle, a vast range of interior fittings and a wide choice of exterior finishes make Gliss Quick an avant-garde product.

**DATASHEET**

REGISTERED  
DESIGN

I.2015

**molteni.it**

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## FINISHES

	millerighe structure	millerighe front	cartapaglia front	matt lacquer colours	open grain matt lacquer	glossy lacquer colours	woods	Kyoto glass	coloured glass/ etched coloured glass	mirror	etched bronze/ etched silver glass	shiny aluminium/ black chrome/ pewter colour
<b>components</b>												
structure with back												
exterior side												
extension profile												
QUICK doors												
QUICK glass doors												
profile												
glass												
fillers												
opening filler												
WING doors												
<b>internal fittings</b>												
shelves and central divider pieces												
drawer fronts and wood trays												

# Molteni & C

### colours

<b>Millerighe structure</b>	<b>Matt lacquer/ Open grain lacquer in the range colours</b>	<b>Glossy lacquer</b>	<b>Coloured glass</b>	<b>Etched coloured glass</b>	<b>Woods</b>
XP pearl	AV ivory	BC chalk white	BC chalk white	BC chalk white	EU eucalyptus
XN natural	PE pearl	PE pearl	PE pearl	PE pearl	RG grey oak
XD dark	DN dune	DN dune	DN dune	DN dune	RN black oak
	PL platinum	NE black	PL platinum	PL platinum	OC light elm
	PE pearl	RT venetian red	AT anthracite	AT anthracite	OS dark elm
<b>Millerighe front</b>	DN dune	NE black	NE black	NE black	
XB chalk white	PL platinum	RT venetian red	RT venetian red	RT venetian red	
XP pearl	AT anthracite	BO bordeaux	BO bordeaux	BO bordeaux	
	NE black	PB lead	PB lead	PB lead	
<b>Cartapaglia front</b>	RT venetian red	SE mustard	SE mustard	SE mustard	
BO bordeaux	BO bordeaux	SI silica	SI silica	SI silica	
KA anthracite	PB lead	DO dolomite grey	DO dolomite grey	DO dolomite grey	
KB white	SE mustard	AL clay	AL clay	AL clay	
	SI silica	AR orange	AR orange	AR orange	
	DO dolomite grey	MK moka	MK moka	MK moka	
	AL clay	AQ aquamarine	AQ aquamarine	AQ aquamarine	
	AR orange	CM caramel	CM caramel	CM caramel	
	MK moka	CZ light blue grey	CZ light blue grey	CZ light blue grey	
	AQ aquamarine	SA sand	SA sand	SA sand	
	CM caramel				
	CZ light blue grey				
	SA sand				

### DATASHEET

REGISTERED  
DESIGN

I.2015

## TECHNICAL INFORMATION

### STRUCTURE

#### BASE

Wooden particleboard panel faced with melamine and adjustable feet in contact with the ground.

#### COVER, PARTITION AND BACK PANEL

Wooden particleboard panel faced with melamine. The partitions are provided with adjustable feet in contact with the ground.

#### SIDE PANEL (MELAMINE)

Wooden particleboard panel faced with melamine. Adjustable feet in contact with the ground.

#### SIDE PANEL (MATT, OPEN GRAIN AND GLOSSY LACQUERED IN THE COLOURS)

Wooden particleboard panel faced with melamine. Outside painted in the colours of the "Molteni Range". Adjustable feet in contact with the ground.

#### SIDE PANEL (WOOD)

Wooden particleboard panel with inner melamine facing and outer facing with sliced Oak (Quercus), Elm (Ulmus rubra) or Eucalyptus (Eucalyptus globulus). Adjustable feet in contact with the ground.

#### COVERING PROFILES AND RUNNERS

Extruded aluminium coated with melamine paper, with dust seal profiles.

#### FRONT EDGING

Anodised extruded aluminium, lacquered in the "Molteni Range" colours or faced with sliced Oak, Elm or Eucalyptus.

### DOORS

#### 45° DOORS

Honeycomb core wood panel faced with melamine with applied mirror th. 4 mm. Outer frame profile in painted extruded aluminium or faced with sliced Oak or American walnut.

#### MILLERIGHE

Wooden particleboard panel faced with melamine. Cushioned hinges and sliding system.

#### MATT, OPEN GRAIN OR GLOSSY LACQUERED IN THE COLOURS

Wooden particleboard panel faced with melamine, painted in the colours of the "Molteni Range". Cushioned hinges and sliding system.

#### WOOD

Wooden particleboard panel faced with sliced Oak, Elm or Eucalyptus.

#### GLASS HINGED DOOR

Wooden particleboard panel faced with melamine, with a 5-mm-thick glass panel or mirror applied, painted in the colours of the "Molteni Range". Outer frame profile of anodised extruded aluminium. Cushioned hinges.

#### GLASS SLIDING DOOR

Anodised aluminium frame with a 5-mm-thick glass panel or mirror applied, painted in the colours of the "Molteni Range". Cushioned sliding system.

**TECHNICAL INFORMATION**

**INTERNAL FITTINGS**

INNER SHELVES, DRAWER OR TRAY FRONT, SIDE PANELS MODULAR CHEST OF DRAWER AND MODULAR GRID  
Wooden particleboard panel faced with melamine.

CLOTHES RODS

Chrome-plated tubular steel. Tube support of chrome-plated plastic material.

GLASS FRONT PANEL

Wooden particleboard panel faced with melamine. 4-mm-thick tempered glass.

DRAWER AND TRAY INNER SIDES

Wooden particleboard panel faced with melamine.

DRAWER AND TRAY INNER BOTTOM

Wooden particleboard panel faced with melamine or ecru painted.

TRAY PARTITION

In Toulipier (Liriodendron Tulipifera) heartwood, ecru painted.

TROUSER AND SHOES RACKS ROD

Extruded aluminium with plastic insert.

POCKET


Fabric 63% Cotton 37% Linen.

PULL-OUT MIRROR

Wooden particleboard panel faced with melamine and mirror 4-mm-thick.

HANDLES AND VARIOUS ACCESSORIES

In various materials and finishes.




- 1 TOP
- 2 BASE
- 3 PARTITION
- 4 SIDE
- 5 EXTENSION PROFILE
- 6 BACK
- 7 COVERING PROFILE OR BOTTOM RUNNER
- 8 COVERING PROFILE OR TOP RUNNER
- 9 SHELF TH. 30
- 10 CLOTHES RAILS
- 11 SIDES MODULAR DRAWER UNIT
- 12 DRAWERS
- 13 TROUSER HOLDER - TRINKET TRAYS
- 14 MODULAR GRID WITH SHIRT AND SWEATER HOLDERS
- 15 PULL-OUT MIRROR
- 16 VARIOUS ACCESSORIES

DOORS


QUICK

WING

45°



DRAWER INTERIOR



DATASHEET

REGISTERED  
DESIGN

I.2015

## MODULARITY

### Modularity - Structure

The widths 492 - 656 - 820 - 984 - 1312 mm (19 3/8" - 25 7/8" - 32 1/4" - 38 3/4" - 51 5/8") include the left side panel. The total width of the composition will include the final panel of th. 30 mm (1 1/8"). Heights: tot. H 2343 (92 1/4"), door 2313 (91"), int.2213 (87 1/8"), flush sl. door inter. 2183 (86") / tot. H 2439 (96"), door 2409 (94 7/8"), int. 2309 (90 7/8"), flush sl. door inter. 2279 (89 3/4") / tot. H 2631 (103 5/8"), door 2601 (102 3/8"), int. 2501 (98 1/2"), flush sl. door inter. 2471 (97 1/4") / tot. H 2919 (114 7/8"), door 2889 (113 3/8"), interior 2789 (109 3/4"), only hinged.
















### Assembly instructions

For the assembling of a sliding and a flush sliding door wardrobe a minimum space of 5 cm (2") is required considering the minimum height of the compart. Assembly of the corner element requires a minimum extra height of 5 cm (2").

Assembly of a wardrobe in an alcove requires a minimum extra side space of 4 cm (1 5/8").

# Molteni&C

5—  
17



### DATASHEET

REGISTERED  
DESIGN

I.2015

## QUICK DOOR

### Hinged/sliding/flush sliding doors

A variety of finishes and handles are available for the QUICK doors. All the hinged doors have cushion-closing hinges. The sliding door have a shock absorber mechanism which allows them to open and close softly.

#### Notes

Sliding doors and flush sliding doors are not available in H 2889. Glass hinged doors are not available in H 2889.

# Molteni&C

6—  
17

#### QUICK door

millerighe  
cartapaglia  
matt lacquer colour  
open grain lacquer  
glossy lacquer colour  
vertical grain wood

#### QUICK door with "a filo" handle

millerighe  
cartapaglia  
matt lacquer colour  
open grain lacquer  
glossy lacquer colour  
vertical grain wood

#### QUICK glass door


Glass:  
coloured  
etched coloured  
mirror  
etched bronze  
etched silver  
Kyoto

Profile:  
shiny aluminium  
black chrome  
pewter colour

#### QUICK glass door with "a filo" handle

Glass:  
coloured  
etched coloured  
mirror  
etched bronze  
etched silver  
Kyoto

Profile and "a filo" handle:  
shiny aluminium  
black chrome  
pewter colour



#### finishes

millerighe

cartapaglia

matt lacquer  
colour

open grain  
lacquer

vertical  
grain wood

glossy lacquer  
colour

coloured glass/  
etched coloured  
glass/mirror/etched  
bronze or silver

45° door

Kyoto  
glass

#### hinged doors

width 487 (19 1/8")									
width 651 (25 5/8")									
width 815 (32 1/8")									
width 979 (38 1/2")									
width 1307 (51 1/2")									
door for terminal element									

#### sliding doors

width 815 (32 1/8")									
width 979 (38 1/2")									
width 1307 (51 1/2")									

#### flush sliding doors

width 815 (32 1/8")									
width 979 (38 1/2")									
width 1307 (51 1/2")									

#### DATASHEET

REGISTERED  
DESIGN

I.2015

**molteni.it**

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**WING DOOR** DESIGN DANTE BONUCCELLI

The handle always has the same finish as the door.



**Notes**

Sliding doors and flush sliding doors are not available in H 2889.

**WING door**  
matt lacquer colour  
glossy lacquer colour  
vertical grain wood

Molteni & C

7—  
17



**finishes**

matt lacquer colour      vertical grain wood      glossy lacquer colour

**hinged doors**

	matt lacquer colour	vertical grain wood	glossy lacquer colour
width 487 (19 1/8")			
width 651 (25 5/8")			
width 815 (32 1/8")			
width 979 (38 1/2")			
width 1307 (51 1/2")			
door for terminal element			

**sliding doors**

width 815 (32 1/8")			
width 979 (38 1/2")			
width 1307 (51 1/2")			

**flush sliding doors**

width 815 (32 1/8")			
width 979 (38 1/2")			
width 1307 (51 1/2")			

**DATASHEET**

REGISTERED  
DESIGN

I.2015

## 45°/FLUSH SLIDING DOOR DESIGN RON GILAD

The 45° doors have a bicoloured perimeter trim that also functions as a handle. The bicolour trim always has the external part in American walnut and the internal part finished in matt lacquer in the colours red, blue or yellow (special colours). Please indicate the colour in the order. The sliding doors have a shock absorber mechanism which allows them to open and close softly.

**45°/flush sliding door can be fitted only to wardrobes with flush sliding doors**

### Notes



The 45° doors are not available in H 2889.

# Molteni & C

8—  
17


### 45° mirror/etched coloured glass door

bicolour trim (American walnut/ red, yellow or blue)  
black oak trim  
matt lacquered trim (in the Molteni colour range)  
glossy lacquered trim (in the Molteni colour range)  
black chrome trim  
hide leather trim (in the Molteni hide leather range)



in the version with bicoloured part in yellow, red or blue lacquer  
**(to be specified when ordering)**

### Side panel extension profile for wardrobes exclusively with 45° doors



For wardrobes made exclusively with 45° doors, the side panel extension profile is made as indicated, in American walnut, black oak, matt or glossy lacquer coloured finish. Otherwise (mixed doors types), they always come with standard extension profile for the side panel.

### DATASHEET

REGISTERED  
DESIGN

I.2015



## HANDLES

In pairs of hinged doors with width 979 (38 1/2") and 1307 mm (51 1/2") the handle is applied to the right door only, with the exception of the handle "P".

Handles can be interchanged when the interval between the holes in the door is the same.

The handle "P" can only be applied to hinged doors.

### Handles finishes

shiny aluminium - black chrome - pewter colour

### Handle E finishes

### front insert


shiny aluminium - black chrome - pewter colour - matt lacquer colour  
woods - coloured glass - etched coloured glass

### structure finishes

shiny aluminium - black chrome - pewter colour

# Molteni & C

9—  
17



### DATASHEET

REGISTERED  
DESIGN

I.2015

**molteni.it**

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## WARDROBE OPENING DIAGRAMS

The wardrobes can be built with mixed opening system only with flush sliding door opening on hinged door.  
The handle "P" is 1000 mm (39 3/8") high from the floor.


### Notes

Flush sliding doors can be slid only onto compartments of the same size.


Molteni & C

10—  
17


### Hinged doors



### Sliding doors



### Flush sliding doors



DATASHEET

REGISTERED  
DESIGN

I.2015

molteni.it

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## DOOR WARDROBE REDUCTIONS

### Door wardrobe reductions

#### Door reductions

Hinged doors can be reduced in height and width.

Sliding doors can be reduced in height.

Sliding doors width 979/998 (38 1/2" -39 1/4") can be reduced in width up to 815 mm (32 1/8").

Flush sliding doors can be reduced only in height.

#### Structure reductions

Linear modules: height 32 mm (1 1/4") intervals, width, depth min. - 20 mm (3/4") max. - 256 mm (10")

For flush sliding wardrobes, depth reductions can be a maximum of -160 mm (6 1/4")

Terminal element: only height 32 mm (1 1/4") intervals

Corner element: only height 32 mm (1 1/4") intervals

**No reductions of any kind for:**  
**internal drawer units**  
**trinket trays**  
**45° doors**

# Molteni & C

11—  
17

### Cuts to measure

#### Diagonal cut doors



When compiling the order, indicate the heights H1 and H2 and the width W as in the example.

For composition with diagonal cuts, only single unit can be used and the door must be hinged to the highest side. The only door finishes for this option are millerighe, cartapaglia, matt lacquer and open grain lacquer.

The structures can have standard measurement or customised.

#### Standard or cut-to-size doors

For these solutions you can use either single or double units with hinged doors.



### DATASHEET

REGISTERED  
DESIGN

I.2015

**molteni.it**

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## FILLERS AND OPENING SIDE TRIMS

### Horizontal filler

The filler is supplied in two parts, one part to be fixed to the ceiling to which the other will be hooked on (see diagram below). The distance of the filler from the door is the client's decision. In the Millerighe and cartapaglia finish, the grain direction is always vertical. In the wood finish, the grain direction is always horizontal.

### Vertical filler

The vertical filler can be placed flush with the structure or the door. This detail must be specified in the order to prepare the side panel (see example). If this detail is not specified when placing the order, the filler will automatically be placed flush with the structure and the side panel will have the extension profile.



### Opening fillers

Always have the 165° hinges. Are the same height as the other doors in the composition. Have a closing strip on their lower part. In the wood finish, the grain direction is always vertical.

Molteni & C


12—  
 17

Horizontal filler side sections




Vertical filler horizontal sections


Flush with structure




Flush with door



Set back



Opening filler horizontal sections



DATASHEET

REGISTERED  
 DESIGN

I.2015


molteni.it

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## INTERNAL FITTINGS

Molteni & C

13—  
17



- |                                  |  |  |
|----------------------------------|--|--|
| <b>1</b> Shelf th 30 mm (1 1/8") | <b>4</b> Trousers holder                 | <b>7</b> Modular grid with shirt and sweater holders |
| <b>2</b> Clothes rail            | <b>5</b> Central divider piece, th mm 30 |  |
| <b>3</b> Modular drawer unit     | <b>6</b> Pull-out mirror                 |  |

### DATASHEET

REGISTERED  
DESIGN

I.2015

**INTERNAL FITTINGS - MODULAR DRAWERS AND TRAYS**

**Notes**

The parts of this internal fittings are produced with width and height dimensions corresponding to the modular compartments. This makes it possible to organise the internal spaces in a number of ways. To correctly and quickly determine the internal fittings, some of the possible compositions are in the following pages. The pairs of side panels suspended or resting on the floor are essential for inserting all the elements.

**The first element of a composition, starting from the top (from the covering shelf), must always be a closed or open drawer H.156 mm or a trinket tray or an extractable shelf or an open shoe rack.**

The handle is always shiny chrome.

**Warnings for use in spaces next to a corner:**

Do not use trouser trays, trinket trays or trays with pockets (used individually). All suspended drawer units must have a lower shelf that allows it to be fastened to the side panel.

**Finishes of wooden drawers, open drawers and shoe rack**



millerighe pearl, natural and dark  
drawer bottom available in millerighe or ecru embossed finish

**Finishes of glass drawers**

transparent glass with front bottom part ecru lacquered  
internal drawer finishes: millerighe pearl, natural and dark  
drawer bottom available in millerighe or ecru embossed finish

**Items available**

**Wooden drawers**



—420 - 584 - 720 - 884 - 1212—  
16 1/2" - 22" - 28 3/8" - 34 3/4" - 47 3/4"

**Glass drawers**





—420 - 584 - 720 - 884 - 1212—  
16 1/2" - 22" - 28 3/8" - 34 3/4" - 47 3/4"

N.B.: the H 156 drawer is always the first one at the top, in contact with the top shelf


**Open drawers**

all heights can be positioned as the first element starting from the top



—420 - 584 - 720 - 884 - 1212—  
16 1/2" - 22" - 28 3/8" - 34 3/4" - 47 3/4"



**Shoe rack with wooden front panel**





—584 - 720 - 884 - 1212—  
22" - 28 3/8" - 34 3/4" - 47 3/4"

**Open shoe rack**

can be positioned as the first element starting from the top **side view**



—584 - 720 - 884 - 1212—  
22" - 28 3/8" - 34 3/4" - 47 3/4"



**DATASHEET**

REGISTERED  
DESIGN

I.2015

**INTERNAL FITTINGS - MODULAR DRAWERS AND TRAYS**



**Finishings of trouser holder**  
millerighe pearl, natural and dark  
with ecru embossed trouser hangers

**Finishings of tray with pocket**  
millerighe pearl, natural and dark  
with ecru fabric pocket

**Finishings of trinket tray**  
millerighe pearl, natural and dark  
with ecru embossed bottom and grid

**Finishings of pull-out trays**  
millerighe pearl, natural and dark front panel  
with ecru embossed shelf and back panel


**Handle in shiny chrome finish**




**Molteni & C**

15—  
17



**Trouser holder**



**Tray with pocket**





**Trinket trays (tie and belt) with internal grid**



internal tray dividers

**Pull-out trays**




**INTERNAL FITTINGS - EXAMPLES**

**Molteni & C**

16 —  
17


internal measurements:  
compartment W 954



- 3 RI/9
- 1 CPT/15
- 3 PE/6
- 1 CLA6/19
- 1 VPC6/05
- 1 CVN6/19
- 2 CLN6/19
- 1 SDT/15
- 1 PO/3
- 2 RI/3

**CIN09A**


internal measurements:  
compartment W 954



- 1 PO/9
- 1 RI/9
- 2 GCP6/19
- 1 GCC/6
- 1 CNT6/05A
- 1 SDT/13
- 1 PO/3

**CIN09B**


internal measurements:  
compartment W 954



- 1 PO/9
- 1 RI/9
- 1 CPS/07
- 3 PE/9
- 1 VPC9/05
- 1 VPP9/05

**CIN09C**


internal measurements:  
compartment W 954



- 1 PO/9
- 1 RI/9
- 1 CPT/11
- 1 CLA4/15
- 1 CLA4/19
- 1 CLN4/19
- 2 CLN4/28
- 1 SDT/11
- 1 PO/4

**CIN09D**


internal measurements:  
compartment W 954



- 1 PO/9
- 1 RI/9
- 2 CPT/11
- 1 SDT/11
- 6 PE/4
- 6 CLN4/19

**CIN09E**


internal measurements:  
compartment W 954



- 1 PO/9
- 1 RI/9
- 1 PO/4
- 1 SDT/15
- 2 RI/4
- 1 CPT/07
- 1 CLN4/15
- 1 CLN4/19
- 1 CLN4/38

**CIN09F**


internal measurements:  
compartment W 954



- 1 PO/9
- 1 RI/9
- 1 PO/6
- 1 SDT/13
- 3 RI/3

**CIN09G**


internal measurements:  
compartment W 954



- 2 RI/9
- 1 PO/9
- 1 CPT/11
- 1 VPC6/05
- 4 CLN6/19
- 1 CLN6/28
- 1 SDT/11
- 3 RI/3

**CIN09H**

internal measurements:  
compartment W 954



- 1 RI/9
- 1 CPS/07
- 1 CLN9/15
- 1 CLN9/19
- 1 CLN9/28
- 1 VSA9/38

**CIN09I**

**DATASHEET**

REGISTERED  
DESIGN

I.2015

**molteni.it**

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.




**INTERNAL FITTINGS - EXAMPLES**

Molteni & C


17—  
17

internal measurements:  
compartment W 1282




**CIN13A**

internal measurements:  
compartment W 1282




**CIN13B**

internal measurements:  
compartment W 1282




**CIN13C**

internal measurements:  
compartment W 1282




**CIN13D**

internal measurements:  
compartment W 1282




**CIN13E**

internal measurements:  
compartment W 1282




**CIN13F**

internal measurements:  
compartment W 1282




**CIN13G**

internal measurements:  
compartment W 1282



**CIN13H**

internal measurements:  
compartment W 1282



**CIN13I**

DATASHEET

REGISTERED  
DESIGN

I.2015

**molteni.it**

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

# FINISHES

	MATT LACQUER/ OPEN GRAIN LACQUER	GLOSSY LACQUER	COLOURED GLASS	ETCHED COLOURED GLASS
CHALK WHITE	•	•	•	•
IVORY	•			
PEARL	•	•	•	•
SILICA	•	•	•	•
SAND	•	•	•	•
PLATINUM	•	•	•	•
DUNE	•	•	•	•
CLAY	•	•	•	•
DOLOMITE GREY	•	•	•	•
BORDEAUX	•	•	•	•
MOKA	•	•	•	•
ORANGE	•	•	•	•
MUSTARD	•	•	•	•
CARAMEL	•	•	•	•
LIGHT BLUE GREY	•	•	•	•
AQUAMARINE	•	•	•	•
VENETIAN RED	•	•	•	•
LEAD	•	•	•	•
ANTHRACITE	•	•	•	•
BLACK	•	•	•	•
LESSLESS RED	only matt lacquer •			


# FINISHES

## WOODS

EUCALYPTUS




AMERICAN WALNUT



GREY OAK




BLACK OAK



DARK ELM



LIGHT ELM



CEDAR



## MARBLES


WHITE CARRARA MARBLE



CALACATTA MARBLE




RED FRENCH MARBLE



EMPERADOR DARK MARBLE



CARNIAN GREY MARBLE




ABSOLUTE BLACK GRANITE



## GRES

WHITE GRES




ANTHRACITE GRES




## METAL PARTS


BLACK CHROME



SHINY ALUMINIUM




PEWTER COLOUR



**MILLERIGHE**  
GLISS QUICK FRONT



**CARTAPAGLIA**  
GLISS QUICK, GLISS WALK-IN FRONT



**MILLERIGHE**  
GLISS QUICK, GLISS 5TH STRUCTURE



Millerighe dark finish available also for Gliss Walk-In where specifically indicated in the pricelist

**DWELL**  
DOOR FRAME, TRACK COVERING PROFILES

