Molteni&C

GLISS-UP-PATRICIA URQUIOLA 2014



Gliss-Up is the first entirely suspended bedroom system. In her approach to wardrobes Patricia Urquiola overturns the traditional concept which simply stands units on the floor; here they are instead suspended to the wall. The space below is now freed up for use in other ways: for instance, with large shelves, these too suspended, to provide a space for drawer units, baskets and original design accessories. Gliss-Up is an innovative idea for storing everything we have around us; custom designed in the traditional finishes of the Gliss series and in the new cedar finish studied ad hoc for Gliss-Up interiors.

FEATURES

Gliss-Up is the first completely suspended bedroom system for the wardrobe. It takes the traditional concept of a wardrobe as a floor-standing cabinet and hangs it on the wall. A free space remains on the floor, below the support shelves, which can be filled with other things, such as drawer units. The Gliss-Up wardrobe system has standard modules in different sizes (three heights and five widths), which can also be reduced to fit a space with special measurements. The support shelf comes in three standard widths and can be ordered custom cut to the centimetre (max. length for a single piece is mm 2982 - 117 ³/8", minimum: mm 1342 - 52 ⁷/8").

Led lighting

Internal compartments of Gliss-Up wardrobes can be equipped with LED lighting. The lighting bar can be mounted on the top pieces or the shelves. In this case, shelves will have to be permanently mounted in their positions. For each shelf measure, we have make specific lighting bars with wiring compliant with European safety standards. For each compartment, there is a power supply kit with sensor to connect to the connector, which can be attached to a maximum of four kits.

DATASHEET

1-9

REGISTERED DESIGN XII.2014

FINISHES

Finishes

| wardrobe components | millerighe pearl, natural, dark | cedar | matt lacquer colours | eucalyptus | glossy lacquer colours | titanium | satined aluminium | cartapaglia anthracite |
|------------------------|--|-------|----------------------------|------------|------------------------------|----------|----------------------|---------------------------|
| structure with back | | | | | | | | |
| wood hinged door | | | | | | | | |
| external side panel | | | | * | * | | | |
| internal shelves | | | | | | | | |
| clothes rails | | | | | | | | |
| support shelf | | | | | | | | |
| drawer units | | | | | | | | |
| storage unit structure | | | | | | | | |
| front | | | | | | | | |
| drawer interior | | | | | | | | |

Molteni&C

2-9

colours

| Matt lacquer | (|
|--------------------|---|
| BC chalk white | E |
| AV ivory | F |
| PE pearl | [|
| DN dune | F |
| PL platinum | F |
| PB lead | 1 |
| NE black | F |
| RT venetian red | E |
| BO bordeaux | ļ |
| AT anthracite | 9 |
| SE mustard | 9 |
| SI silica | [|
| DO dolomite grey | ļ |
| AL clay | ļ |
| AR orange | 1 |
| MK moka | ļ |
| AQ aquamarine | (|
| CM caramel | (|
| CZ light blue grey | 5 |
| SA sand | |
| | |

Glossy lacquer BC chalk white PE pearl DN dune PL platinum PB lead NE black RT venetian red BO bordeaux AT anthracite SE mustard SI silica DO dolomite grey AL clay AR orange MK moka AQ aquamarine CM caramel CZ light blue grey SA sand

★ only for millerighe interiors

DATASHEET

REGISTERED DESIGN

XII.2014

| GLISS-UP- | TECHNICAL INFORMATION |
|---|--|
| PATRICIA URQUIOLA 2014 | WARDROBE FRAME, SHELF Chipboard panel covered in Cedar wood (Cedrus) veneer or melamine facing. |
| | SIDE PANEL (WOOD INTERIOR, MATT LACQUERED EXTERIOR) Chipboard panel covered in Cedar wood (Cedrus) veneer on the interior and melamine facing on the exterior, painted in Molteni range colours. |
| | SIDE PANEL (MELAMINE FACED INTERIOR, MATT OR GLOSSY LACQUERED EXTERIOR) Chipboard panel covered with melamine facing. Exterior painted in Molteni range colours. |
| Molteni & С 3 — 9 | SIDE PANEL (MELAMINE FACED INTERIOR, WOOD EXTERIOR) Chipboard panel covered in melamine facing on the interior, and Eucalyptus wood (Eucalyptus Globulus) veneer on the exterior. |
| | HINGED DOORS Chipboard panel covered in Eucalyptus wood veneer or melamine facing, painted in Molteni range colours. |
| | TRIM Extruded aluminium covered with melamine paper or Cedar veneer. |
| | SIDE PANEL EXTENSION PROFILE Extruded aluminium covered in Eucalyptus wood veneer or painted in Molteni range colours. |
| | CLOTHES RODS Rod in chromed steel. Rod support bracket in chromed plastic. |
| | SUPPORT SHELF Honeycomb panel, covered in Eucalyptus wood veneer or melamine facing, painted in Molteni range colours. Metal brackets for mounting on the wall. |
| | DRAWER UNIT FRAME Chipboard panel covered with melamine facing, painted in Molteni range colours. |
| | DRAWER FRONT Composite panel of MDF and sheet aluminium (1 mm thick), painted in Molteni range colours. |

SIDES AND BOTTOM - DRAWER INTERIOR Chipboard panel covered with melamine facing.


DATASHEET


REGISTERED DESIGN

XII.2014

9

TECHNICAL INFORMATION






DATASHEET

REGISTERED DESIGN

XII.2014

TYPES / DIMENSIONS



Molteni&C

5-9


DATASHEET

REGISTERED DESIGN

XII.2014

TYPES / DIMENSIONS

Module H 1565 (61 5/8")



Molteni&C


GLISS-UP-


PATRICIA URQUIOLA 2014

Module H 1757 (69 1/8")




9





Module H 1949 (76 3/4")



DATASHEET

REGISTERED DESIGN

XII.2014

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

TYPES / DIMENSIONS

Support shelf and drawer units

Drawer units H 280 (11")

The standard model support shelf comes in three different sizes: mm 2982 (117 $_3/\!\!s^{"}),$ 2654 (101 $_{1/2}")$ and 1998 (78 $_{5/8}").$


These sizes can be cut to measure to the centimetre. The minimum measurement possible is mm 1342 (52 $7/\!\!s^{\prime\prime}).$


Drawer units are fixed elements which cannot be modified, and are made to always be positioned on the support shelf.

Drawers always have totally extractable runners and the interior is always made in cartapaglia anthracite.


Molteni&C









Drawer units H 280 (11") are always made with an internal drawer.




Drawer units H 420 (16 1/2")





open



DATASHEET

REGISTERED DESIGN

XII.2014

MODULARITY

820 32 1/4"

984 38 3/4"

— 1670 78 5/8" —

820 32 1/4"

656 25 7/8"

GLISS-UP-PATRICIA URQUIOLA 2014

Molteni&C

8-9

| 984 38 3/4" | | 656 25 // | 8″ | | | | | |
|----------------------------|-----------------------|----------------|--|-----------------------------------|------------------------------|------------------------|-------------|--|
| | - 1834 72 1/ | 1" | | _ | | | | |
| 984 38 3/4" | | 820 32 | 0.1/4" | | | | | |
| | | | | | | | | |
| 1312 51 3 | 2 51 5/8" 492 19 3/8" | | | | | | | |
| | 1998 7 | 78 5/8" — | | | | | | |
| 984 38 3/4" | , | 98 | 4 38 3/4" | | | | | |
| 1312 | 51 5/8" | | 656 25 | 5 7/8" | | | | |
| | 216 | 2 85 1/8" —— | | | _ | | | |
| 984 38 3/4" | | 656 25 7/ | 8" | 492 19 3/8" | | | | |
| 820 32 1/4" | | 820 32 1/4" | | 492 19 3/8" | | | | |
| | ; | 2326 91 5/8" — | | | | | | |
| 1010 | | 520 51 9/8 | 0 | 04.00.07/18 | | | | |
| 1312 : 820 32 1/4" | | 820 32 1/4" | | 84 38 3/4" 656 25 | 7/o" | | | |
| 020 32 1/4 | | | | 000 20 | .70 | | | |
| 0.5.1 | | <u> </u> | | | 100 | 1 | | |
| 984 38 3/4" | | | 4 38 3/4" | | 492 19 3/8" | - | | |
| 1312 820 32 1/4" | | 820 22 1/47 | | | 492 19 3/8" 32 1/4" | - | | |
| 020 32 1/4 | | 820 32 1/4" | | 020 | JZ 1/4 | | | |
| | | 2654 104 1, | | 1010 | | | | |
| 1312 984 38 3/4" | | 00 | 4 38 3/4" | 1312 51 | ^{5/8} " 656 25 7 | | | |
| 904 38 3/4" 492 19 3/8" | | | + 38 3/4 820 | | 492 19 | | | |
| +32 13 % | 020 32 1 | | | JZ 1/4 | 402.15 | 9/8 | | |
| | | 2818 | | | | | | |
| 656 25 7/8" | | 984 38 3/4" | | 492 19 3/8 | 984 38 3/4 | | | |
| 984 38 3/4" | | 820 32 | | | 904 38 % | 1 | | |
| | | 2982 | 2 117 ³ /8" – | | | | | |
| 984 38 3/4" | | 984 | 4 38 3/4" | | 984 | 38 3/4" | | |
| | | 3 [.] | 146 123 7/8 | " | | | | |
| 1312 | 51 5/8" | | | 1312 51 | 5/8" | 492 | 19 3/8" | |
| 820 32 1/4" | | 820 32 1/4" | | 820 | 32 1/4" | 656 25 | | |
| | | | - 3310 130 | 3/8" | | | | _ |
| 820 32 1/4" | | 820 32 1/4" | | 820 : | 32 1/4" | 820 |) 32 1/4" | |
| 656 25 7/8" | | 1312 51 5 | | | | 1312 51 5/8" | | -1 |
| | | | 2474 - | 136 3/4" | | | | |
| 004 ***** | | 100 10 01 1 | | | | | 004 **** | |
| 984 38 3/4" 1312 | | 492 19 3/8" | 192 19 ³ /8" 984 38 ³ / 820 32 ¹ /4" | | /4" | 1312 5 | 984 38 3/4" | |
| 1012 | 51 -70 | | 020 | 52 .74 | | 1012.0 | 1 -70 | |
| | | | | 38 143 1/4" - | | | | |
| | | | 984 38 3/4" | | | | 656 | |
| | | 820 1 | 820 32 1/4" 820 3 1312 51 5/8" | | | | | |
| | | 0200 | | 1312.61 | o/8″ | | 984 38 3/ | 4~ |
| 984 38 3/4" 1312 | | | | 1012 01 | | | | |
| | | | | 3802 149 3/4 | | | | |
| 1312 | 51 ⁵ /8" | | 9 | | » | 984 38 | | 492 19 ³ /8" |
| 1312 | 51 ⁵ /8" | 1312 51 5 | 9 | 3802 149 3/4 | » | 984 38 1312 51 5/8" | | 492 19 ³ /8" 492 19 ³ /8" |
| 1312 | 51 ⁵ /8" | | 9 ō/8" | 3802 149 3/4 84 38 3/4" | | | | |
| 1312 | 51 ⁵ /8" | | 9 ō/8" | 3802 149 3/4 84 38 3/4" | 1/8" | 1312 51 5/8" | | |

DATASHEET

REGISTERED DESIGN

XII.2014

WEIGHT LIMITS

GLISS-UP-

Molteni&C

9-

9

PATRICIA URQUIOLA 2014

Instructions for mounting the wardrobe on the wall

Gliss-Up was tested in compliance with the UNI EN 14749 standard: "Domestic and kitchen storage units and worktops - Safety requirements and test methods." Each module can hold a maximum total weight of Kg. 120, and each single element has a weight limit (listed below) which must not be exceeded.


Specific brackets are provided to mount the wardrobe on the wall, but a kit of wall anchors is not provided because the appropriate fasteners must be defined by the dealer for each installation on the basis of the type of material used to make the wall and the structure of the wall. This guarantees safety and that wardrobe capacity is compliant with the weight limits listed herein.


We recommend a very scrupulous evaluation of the structural conditions of the wall prior to ordering and mounting the product.

Plates and bars provided are made to measure depending on the dimensions of the wall mounted wardrobe and the position of the partitions. These parts cannot be modified afterwards.

Mounting procedures must be carried out in an excellent manner and after viewing the specific "Mounting instructions". Stability and capacity of the wardrobe are guaranteed only by correct mounting and by following the manufacturer's instructions.

Weight limits





Max. capacity per single element

with these capacities, shelf deflection will be in conformity with standard UNI EN 16121 - UNI EN 16122

DATASHEET

REGISTERED DESIGN

XII.2014

FINISHES


| | MATT LACQUE OPEN GI LACQUE | RAIN | COLOURED GLASS | ETCHED COLOURED GLASS |
|--------------------------------|-------------------------------------|------|-------------------|-----------------------------|
| CHALK WHITE | • | • | • | • |
| IVORY | • | | | |
| PEARL | • | • | • | • |
| SILICA | ٠ | • | • | • |
| SAND | • | • | • | • |
| PLATINUM | • | • | • | • |
| DUNE | • | • | • | • |
| CLAY | • | • | • | • |
| DOLOMITE GREY | • | • | • | • |
| BORDEAUX | • | • | • | • |
| МОКА | ٠ | • | • | • |
| ORANGE | ٠ | • | • | • |
| MUSTARD | ٠ | • | • | • |
| CARAMEL | ٠ | • | • | • |
| LIGHT BLUE GREY | • | • | • | • |
| AQUAMARINE | • | • | • | • |
| VENETIAN RED | • | • | • | • |
| LEAD | • | • | • | • |
| ANTHRACITE | ٠ | • | • | • |
| BLACK | ٠ | • | • | • |
| LESSLESS RED only matt lacquer | ٠ | | | |

FINISHES

WOODS

MARBLES

GRES



MILLERIGHE GLISS QUICK FRONT

CHALK WHITE

MILLERIGHE

GLISS QUICK, GLISS 5TH STRUCTURE



DWELL DOOR FRAME, TRACK COVERING PROFILES

| ANODISED ALUMINIUM |
|--------------------|
| BROWN ALUMINIUM |





CARTAPAGLIA GLISS QUICK, GLISS WALK-IN FRONT

Millerighe dark finish available also for Gliss Walk-In where specifically indicated in the pricelist

WHITE

ANTHRACITE